



Nantong Redeyefox Optoelectronic Technology Co., LTD



REDEYEFox



WhatsApp & WeChat: CEO +86 15951388732

Sale1: Jack +86 13862779952; Sale2: Nina +86 15951388062

Website: <http://redeyefoxoptics.com>

E-mail: info@redeyefoxoptics.com

Factory Address: 333 Kaiyuan Avenue, High-tech Zone, Hai 'an, Jiangsu, China

Nantong Redeyefox Optoelectronic Technology Co., LTD



- Description: 511B
- Reticle: Variable point(65moa)
- Battery + Solar Power
- Shake Awake Function




- Description: KF004
- Reticle: One Dot (2/3/5moa)
- 2 Hours Auto Shut Down



- Description: KF004PRO-1
- Reticle: Dot+ Circle(Red)
- 2 Hours Auto Shut Down



- Description: KF006
- Reticle: One Dot
- Shake Awake Function



- Description: KF007
- Reticle: One Dot
- Shake Awake Function



- Description: KF004PRO-2
- Reticle: Dot+ Circle(Green)
- 2 Hours Auto Shut Down



- Description: KF011
- Reticle: One Dot
- Fold to shut down



- Description: KF018
- Reticle: Dot(4, 3, 2 moa)+ Circle(100moa)
- Shake Awake Function




- Description: NLS-M5
- Reticle: One Dot



- Description: KF001
- Reticle: One Dot



- Description: KF005
- Reticle: One Dot (3 or 5moa)
- 2 Hours Auto Shut Down



- Description: KF010
- Reticle: One Dot(3moa)

Contact details:

- Website: <http://redeyefooptics.com>
- E-mail: info@redeyefooptics.com
- Factory Address: 333 Kaiyuan Avenue, High-tech Zone, Hai 'an, Jiangsu, China


Nantong Redeyefox Optoelectronic Technology Co., LTD



○Description: KF019
○Reticle: One Dot(2moa)




○Description: KF020
○Reticle: One Dot



○Description: KF021
○2 Hours Auto Shut Down



○Description: KF013
○Reticle: One Dot
○Shake Awake Function



○Description: KF014
○Reticle: One Dot
○Shake Awake Function



○Description: T3
○Reticle: One Dot



○Description: T10F
○Reticle: One Dot



○Description: T10Fpro-B
○Reticle: Variable point(65moa)



○Description: T10Fpro-S
○Reticle: Variable point (32moa)



○Description: NLS-R5
○Reticle: One Dot
○Shake Awake Function



○Description: R5pro
○Reticle: Variable point
○Shake Awake Function




○Description: X33
○Multiple: 3X

Contact details:

Website: <http://redeyefoxoptics.com> E-mail: info@redeyefoxoptics.com
Factory Address: 333 Kaiyuan Avenue, High-tech Zone, Hai 'an, Jiangsu, China


Nantong Redeyefox Optoelectronic Technology Co., LTD



- Description: KF025F
- Reticle: Variable point



- Description: KF025H
- Reticle: One Dot



- Description: KF028
- Reticle: Variable point



- Description: MA01
- Fit for Remington 870



- Description: MA02
- Fit for Mossberg 500/590



- Description: MA03
- Fit for MOSSBERG 500/590/maverick 88



- Description: MA04
- Weight: 230g



- Description: AK47 Side Quick Release Bracket
- Weight: 230g



- Description: ZS05J
- M14 M1A
- Weight: 230g



- Description: GJ01
- 5-slot monorail pipe clamp



- Description: JM03
- Height: 1.12inch
- Fit for 20mm rail mount



- Description: JM04
- Height: 1.4inch
- Fit for 20mm rail mount

Contact details:

Website: <http://redeyefooptics.com> E-mail: info@redeyefooptics.com

Factory Address: 333 Kaiyuan Avenue, High-tech Zone, Hai 'an, Jiangsu, China

Nantong Redeyefox Optoelectronic Technology Co., LTD



○Description: 12GA Low Profile Light Mount with Built-In Sling
○FITS -Remington 870, 1100, 1187; Benelli (except SuperNova);- Mossberg 500, 590; Winchester 1300, 1200 and SXP Defender



○Description: ZS02
○Tactical Ring-G1
○Glock/17/19/22/34/45



○Style Name: Sling Swivel + Picatinny
○Fit for MOSSBERG 500/590/940/maverick 88



○Description:
FLIP UP BATTLE SIGHTS



○Description:
45 DEGREE OFFSET FLIP UP SIGHTS



○Ø34mm/20moa/RMR baseplate



○Description: PK01-16
○For Savage Axis/Edge



○Description: PK02-17C
○Fit for Remington 700 Rifles/long action/0 MOA



○Description: PK03-16C
○Fit for Mauser 98 Large Ring 0 MOA Picatinny Rail



○Description: PK04-13C



○Description: PK05-16S



○Description: PK06-10S

Contact details:

🌐 Website: <http://redeyefoxoptics.com> ✉ E-mail: info@redeyefoxoptics.com
📍 Factory Address: 333 Kaiyuan Avenue, High-tech Zone, Hai 'an, Jiangsu, China

Nantong Redeyefox Optoelectronic Technology Co., LTD



⊙Description: GJ02



⊙Description: GJ04



⊙Description: ZS03J



⊙Description: ZS016



⊙Description: ZS014



⊙Description: ZS06




⊙Description: ZS017 with 3M




⊙Description: ZS019 with 3M




⊙Description: ZS032



⊙Description: ZS041 with 3M



⊙Description: MA05



⊙Version: ZS029/ZS030/ZS031
⊙Apply to S&W / SIG / Glock

Contact details:

🌐 Website: <http://redeyefoxoptics.com> ✉ E-mail: info@redeyefoxoptics.com
📍 Factory Address: 333 Kaiyuan Avenue, High-tech Zone, Hai 'an, Jiangsu, China

Nantong Redeyefox Optoelectronic Technology Co., LTD



- Description: 3*30IR Prism Scope
- Reticle: Cross Reticle
- Shockproof: 1200G



- Description: 3*30IR Prism Scope+Side rail
- Reticle: Cross Reticle
- Shockproof: 1200G



- Description: 4*30AO
- Reticle: Ballistic Reticle
- Shockproof: 1200G



- Description: 1-6*24 IR
- Reticle: Mrad Reticle
- Shockproof: 1200G



- Description: 1-8*28 IR
- Reticle: Cross Reticle
- Shockproof: 1200G



- Description: 1-10*28 IR
- Reticle: Cross Reticle
- Shockproof: 1200G



- Description: 5-25*56 IR FFP
- Reticle: Cross Reticle
- Shockproof: 1200G



- Description: 7-35*56 IR FFP
- Reticle: Cross Reticle
- Shockproof: 1200G

Contact details:

- 🌐 Website: <http://redeyefooxoptics.com>
- ✉ E-mail: info@redeyefooxoptics.com
- 📍 Factory Address: 333 Kaiyuan Avenue, High-tech Zone, Hai 'an, Jiangsu, China

Nantong Redeyefox Optoelectronic Technology Co., LTD



- Description: 3-9*50 AO
- Reticle: Cross Reticle
- Shockproof: 1200G



- Description: 4-12*44 AO
- Reticle: Cross Reticle
- Shockproof: 1200G



- Description: 3-18*50 IR SF FFP
- Reticle: Cross Reticle
- Shockproof: 1200G



- Description: 4-16*44 IR SF FFP
- Reticle: Cross Reticle
- Shockproof: 1200G



- Description: 1-10*24 IR FFP
- Reticle: Cross Reticle
- Shockproof: 1200G



- Description: 1-6*24
- Reticle: Cross Reticle
- Shockproof: 1200G



- Description: 3-15*50 IR FFP
- Reticle: Cross Reticle
- Shockproof: 1200G



- Description: 1-10*28
- Reticle: Ballistic Reticle
- Shockproof: 1200G

Contact details:

- Website: <http://redeyefoxoptics.com>
- E-mail: info@redeyefoxoptics.com
- Factory Address: 333 Kaiyuan Avenue, High-tech Zone, Hai 'an, Jiangsu, China